

Section: 1. PRODUCT AND	COI	IPANY IDENTIFICATION
Product name	:	TOPAX 66
Other means of identification	:	Not applicable.
Recommended use	:	Cleaning product
Product dilution information	:	2.0 % - 5.0 %
Company	:	Ecolab Philippines, Inc. 113 North Main Ave. Laguna Technopark, Inc. Binan City, Laguna Philippines 4024 Tel: +632 8548-9500 Fax: +632 8548-9501
Emergency telephone number	:	+632-85489503
Issuing date	:	27.06.2022
Section: 2. HAZARDS IDEN	ΓIFI	CATION
GHS Classification		
Product AS SOLD Skin corrosion/irritation Serious eye damage/eye irritation Acute aquatic toxicity	:	Category 1B Category 1 Category 1
Product AT USE DILUTION Acute aquatic toxicity	:	Category 3
GHS Label element		
Product AS SOLD Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	Causes severe skin burns and eye damage. Very toxic to aquatic life.
Precautionary Statements	:	Prevention: Do not breathe dusts or mists. Wash skin thoroughly after handling. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/

TOPAX 66			
	Storage: Store locked up Disposal:).	ng before reuse. Collect spillage. approved waste disposal plant.
Product AT USE DILUTION Hazard Statements	: Harmful to aqua	atic life.	
Precautionary Statements	Disposal:	o the environment. ents/ container to an a	approved waste disposal plant.
Product AS SOLD Other hazards	: Mixing this proc	luct with acid or ammc	onia releases chlorine gas.
Section: 3. COMPOSITION/IN	VFORMATION ON I	NGREDIENTS	
Product AS SOLD Pure substance/mixture	: Mixture		
Chemical Name sodium hypochlorite sodium hydroxide		CAS-No. 7681-52-9 1310-73-2	Concentration: (%) 1 - 5 1 - 5
Product AT USE DILUTION Chemical Name sodium hypochlorite		CAS-No. 7681-52-9	Concentration: (%) 0.1 - 1
Section: 4. FIRST AID MEAS	URES		
Product AS SOLD In case of eye contact	least 15 minutes		er, also under the eyelids, for at uses, if present and easy to do. on immediately.
In case of skin contact	Wash clothing b		vater for at least 15 minutes. hly clean shoes before reuse.
If swallowed			uce vomiting. Never give person. Get medical attention
If inhaled	: Remove to fres symptoms occu		tically. Get medical attention if
Protection of first-aiders	: If potential for e protective equip	•	Section 8 for specific personal
Notes to physician	: Treat symptoma	atically.	
Most important symptoms and effects, both acute and	: See Section 11 symptoms.	for more detailed info	rmation on health effects and
delayed			

TOPAX 66	
In case of skin contact	Rinse with plenty of water.
If swallowed	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	Get medical attention if symptoms occur.

Section: 5. FIREFIGHTING MEASURES

Product AS SOLD Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.
Specific hazards during firefighting	:	Exposure to decomposition products may be a hazard to health.
Hazardous combustion products	:	Decomposition products may include the following materials: Carbon oxides nitrogen oxides (NOx) Halogenated compounds Oxides of phosphorus
Special protective equipment for firefighters	:	Use personal protective equipment.
Specific extinguishing methods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

Product AS SOLD

Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Product AT USE DILUTION Personal precautions, protective equipment and emergency procedures	:	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures

TOPAX 66	
	listed in sections 7 and 8.
Environmental precautions	: Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	: Stop leak if safe to do so. Contain spillage, and then collect with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Section: 7. HANDLING AND S	STORAGE
Product AS SOLD	

Advice on safe handling	:	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. Mixing this product with acid or ammonia releases chlorine gas. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 45 °C
Product AT USE DILUTION Advice on safe handling	:	Do not ingest. Do not breathe dust/fume/gas/mist/vapours/spray. Use only with adequate ventilation. Wash hands thoroughly after handling. Do not get in eyes, on skin, or on clothing. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Conditions for safe storage	:	Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Product AS SOLD

Components with workplace control parameters

Components	CAS-No.	Form of exposure	Permissible concentration	Basis
sodium hydroxide	1310-73-2	TWA	2 mg/m3	PH OEL
Engineering measures		exhaust ventilatio	on system. Maintain a ure standards.	ir concentrations
Personal protective equip	oment			
Eye protection	: Safety go Face-shie			
Hand protection	Standard butyl-rubl Nitrile rub	glove type. ber	al protective equipme	nt:

TOPAX 66		
		Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	:	Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
Respiratory protection	:	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Multi-purpose combination filter:
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.
Product AT USE DILUTION Engineering measures	:	Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipme	ent	
Eye protection	:	No special protective equipment required.
Hand protection	:	No special protective equipment required.
Skin protection	:	No special protective equipment required.
Respiratory protection	:	No personal respiratory protective equipment normally required.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

Product AS SOLD

	Product AS SOLD	Product AT USE DILUTION
Appearance	: liquid	liquid
Colour	: clear, light yellow	light yellow
Odour	: Chlorine	Chlorine
рН	: 13.0 - 14.0, (100 %)	12.0 - 14.0
Flash point	: Not applicable.	
Odour Threshold	: no data available	
Melting point/freezing point	: no data available	
Initial boiling point and boiling range	: >100 °C	
Evaporation rate	: no data available	
Flammability (solid, gas)	: Not applicable.	
Upper explosion limit	: no data available	
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Relative density	: 1.135 - 1.17	
Water solubility	: soluble	

Solubility in other solvents	: no data available
Partition coefficient: n- octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: no data available
VOC	: no data available

Section: 10. STABILITY AND REACTIVITY

Product AS SOLD Reactivity	:	No dangerous reaction known under conditions of normal use.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Mixing this product with acid or ammonia releases chlorine gas.
		Mixing this product with acid or ammonia releases chlorine gas.
Conditions to avoid	:	None known.
Incompatible materials		Acids Organic materials
Hazardous decomposition products		In case of fire hazardous decomposition products may be produced such as: Carbon oxides nitrogen oxides (NOx) Halogenated compounds Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

Information on likely routes of	:	Inhalation, Eye contact, Skin contact
exposure		

Potential Health Effects

Product AS SOLD Eyes	: Causes serious eye damage.
Skin	: Causes severe skin burns.
Ingestion	: Causes digestive tract burns.
Inhalation	: May cause nose, throat, and lung irritation.
Chronic Exposure	: Health injuries are not known or expected under normal use.
Product AT USE DILUTION Eyes	: Health injuries are not known or expected under normal use.

Skin	: Health injuries are not known or expected under normal use.
Ingestion	: Health injuries are not known or expected under normal use.
Inhalation	: Health injuries are not known or expected under normal use.
Chronic Exposure	: Health injuries are not known or expected under normal use.

Experience with human exposure

Product AS SOLD	
Eye contact	: Redness, Pain, Corrosion
Skin contact	: Redness, Pain, Corrosion
Ingestion	: Corrosion, Abdominal pain
Inhalation	: Respiratory irritation, Cough
Product AT USE DILUTION	
Eye contact	: No symptoms known or expected.
Skin contact	: No symptoms known or expected.
Ingestion	: No symptoms known or expected.
Inhalation	: No symptoms known or expected.
Toxicity	
Product AS SOLD Product	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity	: 4 h Acute toxicity estimate rat: > 5 mg/l Test atmosphere: vapour
Acute dermal toxicity	Acute toxicity estimate : > 5,000 mg/kg
	Acute toxicity estimate rat: > 1,000 mg/kg
Skin corrosion/irritation	: no data available
Serious eye damage/eye irritation	: no data available
Respiratory or skin sensitization	: no data available
Carcinogenicity	: no data available
Reproductive effects	: no data available
Germ cell mutagenicity	: no data available
Teratogenicity	: no data available
STOT - single exposure	: no data available

Section: 12. ECOLOGICAL INFORMATION

Aspiration toxicity : no data available

Toxicity

Product AS SOLD Environmental Effects	: Very toxic to aquatic life.
Product AT USE DILUTION Environmental Effects	: Harmful to aquatic life.
Product AS SOLD Product	
Toxicity to fish	: no data available
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: sodium hypochlorite 96 h EC50: 0.14 mg/l
Components	
Toxicity to daphnia and other aquatic invertebrates	: sodium hypochlorite 48 h EC50: 0.071 mg/l
	sodium hydroxide 48 h EC50 Daphnia magna (Water flea): 40 mg/l
Persistence and degradability	
Product AT USE DILUTION Poorly biodegradable	
Bioaccumulative potential	

no data available

Mobility in soil

no data available

Other adverse effects

no data available	
Section: 13. DISPOSAL CONSIDERATIONS	
Product AS SOLD	

Disposal methods	Do not contaminate storm water drains, natural waterways or soil with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations Dispose of wastes in an approved waste disposal facility.	
Disposal considerations	Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re- use empty containers. Dispose of in accordance with local, state, and federal regulations.	
Product AT USE DILUTION Disposal methods	Diluted product can be flushed to sanitary sewer.	

TOPAX 66

Disposal considerations : Dispose of in accordance with local, state, and federal regulations.

Section: 14. TRANSPORT INFORMATION

Product AS SOLD

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport	
UN number	: 3266
Proper shipping name	: CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite)
Class	: 8
Packing group	: 11
Hazchem Code	: -
Environmentally hazardous	: Yes

Sea transport (IMDG/IMO)

UN number Proper shipping name	 : 3266 : CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide, sodium hypochlorite)
Class Packing group Marine pollutant	: 8 : II : Yes

Section: 15. REGULATORY INFORMATION

The components of this product are reported in the following inventories:

United States TSCA Inventory :

All substances listed as active on the TSCA inventory

Canadian Domestic Substances List (DSL) :

All components of this product are on the Canadian DSL.

Australia. Australian Industrial Chemicals Introduction Scheme (AICIS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand : not determined

Japan. ENCS - Existing and New Chemical Substances Inventory : On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China Inventory of Existing Chemical Substances :

On the inventory, or in compliance with the inventory

Taiwan Chemical Substance Inventory :

On the inventory, or in compliance with the inventory

Section: 16. OTHER INFORMATION

Sources of key data used to compile the Safety Data Sheet Globally Harmonized System of Classification and Labelling of Chemicals (GHS) IARC: (International Agency for Research on Cancer) US. National Toxicology Program (NTP) Report on Carcinogens ECHA List of Publishable Substances Registered EU HPVCs (High Production Volume Chemicals)

Issuing date	:	27.06.2022
Version	:	1.0
Prepared by	:	Regulatory Affairs

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.