### SAFETY DATA SHEET



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

### **Diesin Maxx**

Version : '

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : Diesin Maxx
Product code : 112798E

Product use : Cleaner and disinfectant

Product is for professional use only

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Sanitary cleaner. Manual process Surface disinfectant. Manual process

Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Manufacturer/ Distributor/ : Ecolab Ltd.

Importer David Murray John Building

UK-SN1 1NH Swindon, Wiltshire

**England** 

Tel +44 (0)1793 511221 Fax +44 (0)1793 618552 CCS@ecolab.com

1.4 Emergency telephone number

National advisory body/Poison Centre

**Telephone number**: 0870 600 6266 (This service is only available to health professionals)

Manufacturer/ Distributor/ Importer

**Telephone number** : 01793 511221

Food & Beverage, Institutional, Agri - 01793 548888

Healthcare Leeds - 0113 2322480 Healthcare Swansea - 01252 717616

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Product definition : Mixture

#### Classification according to Directive 1999/45/EC [DPD]

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : C; R35

**Human health hazards**: Causes severe burns.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard symbol or symbols :

Indication of danger : Corrosive

Date of issue/Date of revision : 18 October 2012 1/12

### **SECTION 2: Hazards identification**

Risk phrases

: R35- Causes severe burns.

Safety phrases

: S2- Keep out of the reach of children.

S26- In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S36/37/39- Wear suitable protective clothing, gloves and eye/face protection. S45- In case of accident or if you feel unwell, seek medical advice immediately

(show the label where possible).

2.3 Other hazards

Other hazards which do not result in classification

: Not applicable.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

			<u>Classification</u>		
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
<b></b> ✓-(+)-lactic acid	REACH #: 01- 2119474164-39 EC: 201-196-2 CAS: 79-33-4	5-10	Xi; R41, R38	Skin Irrit. 2, H315 Eye Dam. 1, H318	[1]
Benzalkonium chloride	EC: 270-325-2 CAS: 68424-85-1	1-3	Xn; R21/22 C; R34 N; R50	Acute Tox. 4, H302 Acute Tox. 4, H312 Skin Corr. 1B, H314 Aquatic Acute 1, H400	[1]
Fattyalcohol ethoxylates > 5EO	CAS: 69227-22-1	1-3	Xn; R22 Xi; R41	Acute Tox. 4, H302 Eye Dam. 1, H318	[1]
			See Section 16 for the full text of the R- phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact

: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician.

### **SECTION 4: First aid measures**

#### Inhalation

: Get medical attention immediately. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed.

Skin contact

: Mush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing before reusing. Continue to rinse for at least 15 minutes. Chemical burns must be treated promptly by a physician. Clean shoes thoroughly before reuse. Get medical attention immediately.

Ingestion

: Get medical attention immediately. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

**Eye contact**: Severely corrosive to the eyes. Causes severe burns.

**Inhalation**: May give off gas, vapour or dust that is very irritating or corrosive to the respiratory

system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

**Skin contact**: Severely corrosive to the skin. Causes severe burns.

**Ingestion**: May cause burns to mouth, throat and stomach.

### Over-exposure signs/symptoms

**Eye contact** : Adverse symptoms may include the following:

pain watering redness

**Inhalation** : Adverse symptoms may include the following:

respiratory tract irritation

coughing

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Ingestion**: Adverse symptoms may include the following:

stomach pains

#### 4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

**Specific treatments**: No specific treatment.

Date of issue/Date of revision : 18 October 2012 3/12

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

: In case of fire, use water spray (fog), foam, dry chemical or CO<sub>2</sub>.

Unsuitable extinguishing

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : In a fire or if heated, a pressure increase will occur and the container may burst.

**Hazardous combustion** 

products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

#### 5.3 Advice for firefighters

Special precautions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear proper protective equipment.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

### 6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Small spill:

: Dilute with plenty of water. Absorb with an inert material and place in an appropriate waste disposal container.

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide.

### 6.4 Reference to other

sections

: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

#### **Protective measures**

: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.

## Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

# 7.2 Conditions for safe storage, including any incompatibilities

: Store between the following temperatures: -5 to 40°C (23 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Separate from alkalis. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### 7.3 Specific end use(s)

Recommendations Industrial sector specific solutions Not applicable until Exposure Scenarios for substances become available.Not applicable until Exposure Scenarios for substances become available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Occupational exposure limits

Product/ingredient name	Exposure limit values
No exposure limit value known.	

### **Derived effect levels**

No DNELs available for the mixture.

#### **Predicted effect concentrations**

No PNECs available for the mixture.

#### 8.2 Exposure controls

Appropriate engineering controls

: If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Individual protection measures**

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **SECTION 8: Exposure controls/personal protection**

Eye/face protection

(EN 166)

: Goggles, face shield, or other full-face protection.

Skin protection

Hand protection

(EN 374)

: 1 - 4 hours : butyl rubber , nitrile rubber .

**Body protection** 

(EN 14605)

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection (EN 143, 14387)

: A respirator is not needed under normal and intended conditions of product use.

Thermal hazards **Environmental exposure** 

controls

: Not applicable.

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process

equipment will be necessary to reduce emissions to acceptable levels.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

**Appearance** 

: Liquid. Physical state Colour : Red

Odour : Fragrance-like

Odour threshold : Not applicable and/or not determined for the mixture.

pН : 1.3 to 2.3 [Conc. (% w/w): 100%]

Melting point/freezing point

range

: Not applicable and/or not determined for the mixture. **Initial boiling point and boiling**: Not applicable and/or not determined for the mixture.

Flash point : > 100°C

**Evaporation rate** 

Flammability (solid, gas) **Burning time** 

**Burning rate** Upper/lower flammability or

explosive limits Vapour pressure : Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture. : Not applicable and/or not determined for the mixture.

: 1.0165 to 1.0265 Relative density

Solubility(ies) : Easily soluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water

Vapour density

: Not applicable and/or not determined for the mixture.

**Auto-ignition temperature** : Not applicable and/or not determined for the mixture. **Decomposition temperature** : Not applicable and/or not determined for the mixture.

: Not applicable and/or not determined for the mixture. **Viscosity** 

: Not applicable. **Explosive properties** 

Oxidising properties : None.

#### 9.2 Other information

Date of issue/Date of revision: 18 October 2012 6/12

### **SECTION 9: Physical and chemical properties**

No additional information.

### SECTION 10: Stability and reactivity

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : The product is stable.

10.3 Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

**10.4 Conditions to avoid** : No specific data.

10.5 Incompatible materials : Extremely reactive or incompatible with the following materials: metals and alkalis.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
√(+)-lactic acid	LC50 Inhalation Dusts and mists	Rat	>7.94 mg/l	4 hours
	LD50 Dermal	Rabbit	>2000 mg/kg	-
	LD50 Oral	Rat	3543 mg/kg	-
Benzalkonium chloride	LD50 Dermal	Rabbit	3340 mg/kg	-
	LD50 Oral	Rat	426 mg/kg	-

Conclusion/Summary

: No known significant effects or critical hazards.

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Benzalkonium chloride	Skin - Severe irritant	Rabbit	-	25 milligrams	-

**Conclusion/Summary** 

: No known significant effects or critical hazards.

**Sensitiser** 

**Conclusion/Summary**: No known significant effects or critical hazards.

**Mutagenicity** 

**Conclusion/Summary**: No known significant effects or critical hazards.

Carcinogenicity

**Conclusion/Summary**: No known significant effects or critical hazards.

Reproductive toxicity

**Conclusion/Summary**: No known significant effects or critical hazards.

**Teratogenicity** 

Conclusion/SummaryInformation on the likelyNo known significant effects or critical hazards.

routes of exposure

Potential acute health effects

**Inhalation** : May give off gas, vapour or dust that is very irritating or corrosive to the respiratory system. Exposure to decomposition products may cause a health hazard. Serious

effects may be delayed following exposure.

Date of issue/Date of revision : 18 October 2012 7/12

### **SECTION 11: Toxicological information**

Ingestion: May cause burns to mouth, throat and stomach.Skin contact: Severely corrosive to the skin. Causes severe burns.Eye contact: Severely corrosive to the eyes. Causes severe burns.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Inhalation** : No specific data.

**Ingestion** : Adverse symptoms may include the following:

stomach pains

**Skin contact**: Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur

**Eye contact**: Adverse symptoms may include the following:

pain watering redness

### Delayed and immediate effects and also chronic effects from short and long term exposure

#### **Short term exposure**

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

**Potential delayed effects**: No known significant effects or critical hazards.

#### Potential chronic health effects

Conclusion/Summary : No known significant effects or critical hazards. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** : No known significant effects or critical hazards. : No known significant effects or critical hazards. Other information

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
√(+)-lactic acid Benzalkonium chloride    Continuous	Acute LC50 130 mg/l Acute EC50 0.025 mg/l Acute LC50 0.28 mg/L	Daphnia	96 hours 48 hours 96 hours

**Conclusion/Summary**: No known significant effects or critical hazards.

### 12.2 Persistence and degradability

**Conclusion/Summary**: The surfactants contained in the product are biodegradable according to the

requirements of the detergent regulation 648/2004/EC

### 12.3 Bioaccumulative potential

**Conclusion/Summary**: Not determined for the mixture.

Date of issue/Date of revision : 18 October 2012 8/12

### **SECTION 12: Ecological information**

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not determined for the mixture.

**Mobility** : Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable. vPvB : Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

### **SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 13.1 Waste treatment methods

#### **Product**

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any byproducts should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste : Yes. European waste catalogue (EWC)

Waste code	Waste designation		
20 01 14*	acids		

### **Packaging**

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled.

Special precautions

: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### **SECTION 14: Transport information**

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-

Date of issue/Date of revision : 18 October 2012 9/12

### Diesin Maxx

### **SECTION 14: Transport information**

14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
14.6 Special precautions for user	None.	None.	None.	None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture <u>EU Regulation (EC) No. 1907/2006 (REACH)</u>

### Annex XIV - List of substances subject to authorisation

### Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

### Other EU regulations

### Ingredient declaration according to detergent regulation 648/2004/EC:

<5% non-ionic surfactants, cationic surfactants

Contains disinfectants.
Contains Perfumes: (Linalool)

### **National regulations**

### United Kingdom (UK)

The Chemicals (Hazard Information and Packaging for Supply) Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

## 15.2 Chemical Safety Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

Date of issue/Date of revision : 18 October 2012 10/12

### **SECTION 16: Other information**

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ADN/ADNR = European Provisions concerning the International Carriage of

Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of

Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/20081

DNEL = Derived No Effect Level

DPD = Dangerous Preparations Directive [1999/45/EC]

EC = European Commission

EUH statement = CLP-specific Hazard statement IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OEL = Occupational Exposure Limit

PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

Regulation [Regulation (EC) No. 1907/2006]

RID = The Regulations concerning the International Carriage of Dangerous Goods

by Rail

REACH # = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Full text of abbreviated H statements

: H302 Harmful if swallowed. H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation. H318 Causes serious eve damage. Very toxic to aquatic life.

H400 Full text of classifications

: Acute Tox. 4, H302 ACUTE TOXICITY: ORAL - Category 4 Acute Tox. 4, H312 ACUTE TOXICITY: SKIN - Category 4 AQUATIC TOXICITY (ACUTE) - Category 1 Aquatic Acute 1, H400

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 Eye Dam. 1, H318

Skin Corr. 1A. H314 SKIN CORROSION/IRRITATION - Category 1A Skin Corr. 1B. H314 SKIN CORROSION/IRRITATION - Category 1B Skin Irrit. 2, H315 SKIN CORROSION/IRRITATION - Category 2

Full text of abbreviated R phrases

: R22- Harmful if swallowed.

R21/22- Harmful in contact with skin and if swallowed.

R34- Causes burns. R35- Causes severe burns.

R41- Risk of serious damage to eyes.

R38- Irritating to skin.

R50- Very toxic to aquatic organisms.

Full text of classifications

[DSD/DPD]

[CLP/GHS]

: C - Corrosive Xn - Harmful Xi - Irritant

N - Dangerous for the environment

Date of printing : 18 October 2012 Date of issue/ Date of

: 18 October 2012

revision

Date of previous issue : 17 October 2011

Version : 1

Date of issue/Date of revision: 18 October 2012 11/12 Diesin Maxx

### **SECTION 16: Other information**

### Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.